

Message

---

**From:** Rowsey, Kevin [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FDD13C32A3E54246AEB75BD0D9018EDA-ROWSEY, KEV]  
**Sent:** 2/5/2019 3:32:01 PM  
**To:** Lazos, Pamela [Lazos.Pamela@epa.gov]  
**Subject:** FW: For RA visit to WV next week.

**Kevin Rowsey**

Ground Water & Enforcement Branch  
Water Protection Division  
U.S. EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103  
Phone: 215.814.5463

---

**From:** rogers, rick  
**Sent:** Tuesday, February 05, 2019 10:21 AM  
**To:** Reinhart, Roger <Reinhart.Roger@epa.gov>; Bennett, James <bennett.james@epa.gov>; Rowsey, Kevin <rowsey.kevin@epa.gov>  
**Subject:** RE: For RA visit to WV next week.

**Thanks, all. I made some changes. See below.**

**PFOA:** Recent PFOA results from private well sampling indicated that Chemours had not yet reached the geographic boundary where groundwater has elevated levels of PFOA. Chemours proposed and initiated investigation and sampling of private drinking water wells in geographic areas farther from their plant within West Virginia and Ohio which, based on previous sampling results, may have elevated levels of PFOA in the ground water. These new "step-out" areas has been discussed agreed to by EPA Regions 3 & 5.

**Gen-X:** At EPA's request, Chemours completed a 3<sup>rd</sup> round of quarterly sampling of public and private drinking water wells in West Virginia and Ohio where Gen-X had been identified in the raw (untreated) water in previous quarterly monitoring. Gen-X levels in raw water increased in a few of the wells and decreased or remained the same in some others. In every case, the carbon filtration used at each of the water supplies effectively removed Gen-X in the finished water. Chemours has committed to continue quarterly monitoring at the same group of water supplies. EPA will request Chemours expand their Gen-X sampling if future results indicate that is warranted.

Rick Rogers, Associate Director  
Office of Drinking Water and Source Water Protection  
Water Protection Division (3WP20)  
U.S. EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103  
[rogers.rick@epa.gov](mailto:rogers.rick@epa.gov)  
Office: 215.814.5711  
Cell: Ex. 6 Personal Privacy (PP)

---

**From:** Reinhart, Roger  
**Sent:** Tuesday, February 05, 2019 9:04 AM

**To:** Bennett, James <[bennett.james@epa.gov](mailto:bennett.james@epa.gov)>; Rowsey, Kevin <[rowsey.kevin@epa.gov](mailto:rowsey.kevin@epa.gov)>

**Cc:** rogers, rick <[rogers.rick@epa.gov](mailto:rogers.rick@epa.gov)>

**Subject:** RE: For RA visit to WV next week.

Rick and Jim,

Here's the latest news on Chemours Washington Works.

PFOA: **Ex. 5 Deliberative Process (DP)**

## Ex. 5 Deliberative Process (DP)

Gen-X: **Ex. 5 Deliberative Process (DP)**

## Ex. 5 Deliberative Process (DP)

---

**From:** Bennett, James

**Sent:** Tuesday, February 05, 2019 8:32 AM

**To:** Rowsey, Kevin <[rowsey.kevin@epa.gov](mailto:rowsey.kevin@epa.gov)>; Reinhart, Roger <[Reinhart.Roger@epa.gov](mailto:Reinhart.Roger@epa.gov)>

**Cc:** rogers, rick <[rogers.rick@epa.gov](mailto:rogers.rick@epa.gov)>

**Subject:** FW: For RA visit to WV next week.

Kevin

Can you put this together

Thank you

---

**From:** McManus, Catharine

**Sent:** Tuesday, February 05, 2019 8:27 AM

**To:** rogers, rick <[rogers.rick@epa.gov](mailto:rogers.rick@epa.gov)>; Bennett, James <[bennett.james@epa.gov](mailto:bennett.james@epa.gov)>

**Subject:** For RA visit to WV next week.

We have to put together bullets for the RA on the latest on Chemours.

Just a few sentences is sufficient. I need it by the end of the day. Just the latest status.

Thanks. Kate

Kate McManus

Deputy Director, Water Protection Division

EPA Region 3

215-814-5337